




electra**quip**
LED WARNING LIGHTING

www.albert-jagger.co.uk


autolamps®



Contact Us:
Tel: +44 (0)121 313 2222
Fax: +44 (0)121 313 2272
Email: sales@ledautolamps-uk.com
Trading hours: Mon–Fri, 8:30–17:00 (UK)

LED Autolamps Europe LLP
Unit 8J, Maybrook Business Park
Minworth, Sutton Coldfield
B76 1AL, United Kingdom

LED Autolamps’ warning and emergency lighting brand, ElectraQuip, is a leading supplier of automotive safety and electronic products to the European commercial and heavy-duty vehicle markets.

With a focus on quality, ElectraQuip provides a reliable and cost-effective selection of European approved Warning Beacons, Directional LEDs and Lightbars, suitable for a wide range of vehicles and applications.

Designed using the latest in LED technology, these lamps offer 12/24V versatility and superb light output – giving optimum visibility for high levels of road safety.

COMPLETE VEHICLE LIGHTING SOLUTIONS

Rear Lamps & Marker Lamps

Interior Lamps

Work Lamps

Cable Harness Systems

We are proud to offer the most comprehensive range of LED vehicle lighting in Europe. Suitable for all types of heavy-duty and commercial vehicles and equipment.

Completed by our ranges of Rear Lamps and Markers, Work Lamps, Emergency and Warning Lighting, and Cable Harness Systems – LED Autolamps offers a single source supply for all your CV lighting needs.

Contact us for information on our other LED lighting ranges

As further testimony to our commitment in achieving excellence across all aspects of the business, LED Autolamps are certified to ISO9001:2008, the internationally recognised Quality Management Standard.

This is our guarantee to you of exceptional customer service, unrivalled technical expertise and dedicated after sales care.

	Page#	ECE R65	EMC
WARNING BEACONS			
EQPR Series	01–02	✓	✓
EQR Series	03	✓	✓
MB12 Series	04	✓	✓
128 Series	05		✓
112 Series	06		✓
DIRECTIONAL WARNING LAMPS			
LPR Series	07	✓	✓
SLED Series	08	✓	✓
SSLED Series	09–10	✓	✓
LED-R65 Series	11	✓	✓
Q-LED Series	12		✓
LED-180 Series	13		✓
HALED Series	14		✓
DASH Series	15		✓
LED LIGHTBARS			
MLB246 Series	16	✓	✓
DiamondBack Series	17	✓	✓
MLB600 Series	18		✓
EQLB Series	19–20	✓	✓
TAIL LIFT CONTROLS			
Atlas Evolution	21		
Atlas Extreme	22		

Three-Bolt Fixing



EQPR65ABM R65 Amber

EQPR10ABM R10 Amber

DIN Mount



EQPR65ABM-DM R65 Amber

EQPR10ABM-DM R10 Amber

Single-Bolt Mount



EQPR65ABM-SB R65 Amber

EQPR10ABM-SB R10 Amber

Flexi-DIN Mount



EQPR65ABM-FD R65 Amber

EQPR10ABM-FD R10 Amber

Magnetic Mount w/ cigar plug



EQPR65ABM-MM R65 Amber

EQPR10ABM-MM R10 Amber

- Powerful LED warning beacon
- Tough polycarbonate base
- 10–30VDC
- Available in two versions;
 - ECE R65 + R10 approved (8x 2watt LEDs)
 - ECE R10 approved only (4x 2watt LEDs)
- Available in five different mounting options; Three-Bolt, Single-Bolt, DIN-Mount, Magnetic Suction Mount, Flexi-DIN Mount
- Two flash patterns; quad and double flash
- Three year warranty

Voltage range	10–30VDC
Flash patterns	Quad, Double
LED type	R65: 8x 2-Watt / R10: 4x 2-Watt
Lens material	Polycarbonate
Base material	Black polycarbonate
Visibility	360°
Warranty	Three years
Approval	ECE R10, ECE R65 (where specified)
Ingress protection	IP67
Current draw	0.6A max

Three-Bolt Fixing



EQPR10BBM R10 Blue



EQPR10RBM R10 Red



EQPR10GBM R10 Green

DIN Mount



EQPR10GBM-DM R10 Green

Single-Bolt Mount




EQPR10GBM-SB R10 Green

Flexi-DIN Mount



EQPR10GBM-FD R10 Green




EQR65 SERIES
LED WARNING BEACONS Alloy Base

R65 R10

Three-Bolt Fixing



EQR65ABM R65 Amber



EQR65BBM R65 Blue



EQR65GBM R65 Green



EQR65RBM R65 Red

Mounting Accessory Kits



EQR65-DM DIN-Mount



EQR65-SB Single-Bolt




EQR65-MM Magnetic Mount



EQR65-FD Flexible-DIN Mount

- High-power LED warning beacon
- Durable aluminium base
- ECE R65 approved
- Two flash patterns; quad and rotating flash
- Three year warranty
- Easy-fit mounting accessory kits available


Voltage range	10–30VDC
Flash patterns	Quad, Rotating
LED type	12x 3-Watt
Lens material	Amber polycarbonate
Base material	Black alloy
Accessory material	Polycarbonate
Visibility	360°
Warranty	Three years
Approval	ECE R10, ECE R65
Ingress protection	IP67
Current draw	2.5A nominal




120 x 148mm

R65 R10







Ø96 x 64mm

Two-Bolt Fixing



MB12AME R65 Amber

- Ultra compact warning beacon
- ECE R65 approved
- Extended voltage; 10–110VDC
- 120–240 flashes per minute
- Shock and vibration resistant
- Three year warranty
- Tough polycarbonate lens and alloy base
- 360° visibility
- Two bolt mounting

Voltage range	10–110VDC
Flash patterns	12–240FPM
LED type	12x 1-Watt
Lens material	Amber polycarbonate
Base material	Black alloy
Visibility	360°
Warranty	Three years
Approval	ECE R10, ECE R65
Ingress protection	IP67
Current draw	1A nominal

128 SERIES
COMPACT LED WARNING BEACONS

NEW R10

Three-Bolt Fixing



128AMF R10 Amber



128BMF R10 Blue



128GMF R10 Green




128RMF R10 Red

Magnetic Mount w/ cigar plug




128AMM R10 Amber



Ø130 x 97mm

R10



130 x 98mm

- Compact beacon design
- Available in a range of colour options
- Shock and vibration resistant
- Three year warranty
- Tough polycarbonate lens
- Durable ABS base
- 360° visibility
- Extended voltage; 12–48VDC
- EMC approved

Voltage range	12–48VDC
Flash patterns	Quad
LED type	3x 3-Watt
Lens material	Polycarbonate
Base material	ABS
Visibility	360°
Warranty	Three years
Approval	ECE R10
Ingress protection	IP67
Current draw	0.4A

- Narrow 2-Bolt mounting base
- Shock and vibration resistant
- Extended voltage; 10–110VDC
- Three year warranty
- Tough polycarbonate lens
- Durable ABS base
- 360° visibility
- EMC approved
- Ideal for materials handling vehicles

Voltage range	10–110VDC
Flash patterns	Quad
LED type	3x 1-Watt
Lens material	Amber polycarbonate
Base material	ABS
Visibility	360°
Warranty	Three years
Approval	ECE R10
Ingress protection	IP67
Current draw	0.13A

112ABM
LED COMPACT BEACON

Two-Bolt Fixing



112ABM R10 Amber

LPR SERIES
LOW-PROFILE WARNING LAMPS

NEW R65 R10

6-LED / R65 Approved




LPR656DVA R65 Amber
LPR656DVB R65 Blue

4-LED / R10 Approved



LPR104DVA R10 Amber
LPR104DVB R10 Blue
LPR104DVR R10 Red
LPR104DVW R10 White



131 x 30 x 7mm

Voltage range	12/24V Multivolt
Flash patterns #	6-LED: 19x / 4-LED: 11x selectable
LED type	6-LED: 6x 3-Watt / 4-LED: 4x 3-Watt
Lens material	Clear polycarbonate
Base material	Aluminium
Mounting	Screw mount or 3M™ backing tape
Warranty	Two years
Approval	6-LED: ECE R10, R65 / 4-LED: ECE R10
Ingress protection	IP67
Current draw	6-LED: 1.17A / 4-LED: 0.19A

- Super low-profile – only 7mm
- Multiple selectable flash patterns, including Quad and Double
- Synchronise up to 20 lamps
- Can be screw mounted or fixed using strong 3M™ backing tape (included)



SLED SERIES
SLIMLINE DIRECTIONAL WARNING LAMPS

3-LED



SLED3DVAR65 R65 Amber
SLED3DVBR65 R65 Blue
SLED3DVR65 R65 Red
SLED3DVW R10 White

4-LED



SLED4DVAR65 R65 Amber
SLED4DVBR65 R65 Blue
SLED4DVR65 R65 Red
SLED4DVW R10 White


6-LED



SLED6DVAR65 R65 Amber
SLED6DVBR65 R65 Blue

Voltage range	10–30VDC
Flash patterns #	3-LED: 6x / 4-LED & 6-LED: 8x selectable
LED type	R65: 3W / R10: 1W
Lens material	Clear polycarbonate
Base material	Aluminium
Warranty	Two years
Approval	ECE R10, R65
Ingress protection	IP67
Current draw	3-LED: 0.21A / 4-LED: 0.31A / 6-LED: 0.43A

- Slim, compact design
- Extremely durable aluminium housing
- ECE R65 approved
- Super high-brightness LEDs
- Hi/low power function



79 x 24 x 15mm

89 x 24 x 15mm

122 x 24 x 15mm

SSLED SERIES
SUPER-SLIM WARNING LAMPS

NEW R65 R10

3-LED



SSLED3DVA R10 Amber ●
SSLED3DVB R10 Blue ●
SSLED3DVR R10 Red ●
SSLED3DVW R10 White ○

6-LED BLOCK




SSLED62DVAR65 R65 Amber ●
SSLED62DVA R10 Amber ●

9-LED BLOCK



SSLED93DVAR65 R65 Amber ●
SSLED93DVA R10 Amber ●

Flash patterns #	12x selectable	Flash patterns #	22x selectable	Flash patterns #	22x selectable
LED type	3x 1-Watt	LED type	R10: 6x 1-Watt R65: 6x 3-Watt	LED type	R10: 9x 1-Watt R65: 9x 3-Watt
Current draw	12V: 0.36A	Current draw	12V: 0.58A	Current draw	12V: 0.87A



90 x 29 x 11mm

90 x 47 x 11mm

90 x 67 x 11mm

Voltage range	12/24V Multivolt
Lens material	Clear polycarbonate
Base material	Aluminium / rubber gasket
Mounting	Screw mount
Warranty	Five years
Approval	ECE R10, R65 (R10-only where specified)
Ingress protection	IP67

SSLED SERIES
SUPER-SLIM WARNING LAMPS

NEW R65 R10

4-LED




SSLED4DVAR65 R65 Amber ●
SSLED4DVA R10 Amber ●
SSLED4DVB R10 Blue ●
SSLED4DVR R10 Red ●
SSLED4DVW R10 White ○

6-LED



SSLED6DVAR65 R65 Amber ●
SSLED6DVA R10 Amber ●

Flash patterns #	22x selectable	Flash patterns #	22x selectable
LED type	R10: 4x 1-Watt R65: 4x 3-Watt	LED type	R10: 6x 1-Watt R65: 6x 3-Watt
Current draw	12V: 0.48A	Current draw	12V: 0.58A



110 x 29 x 11mm

150 x 29 x 11mm

- Low-profile – 11mm depth
- Highly durable polycarbonate lens
- 150° ultra wide light angle
- High-brightness LEDs
- Available in ECE R65 versions and R10-only approved versions
- Rubber mounting grommet included



LED R65 SERIES
DIRECTIONAL WARNING LAMPS

R65 R10

3-LED




LED3DVAR65 R65 Amber


4-LED



LED4DVAR65 R65 Amber
LED4DVBR65 R65 Blue



99 x 41 x 29mm



122 x 41 x 29mm

- ECE R65 approved directional warning lamp
- Highly durable polycarbonate lens
- High-brightness LEDs
- Rubber mounting grommet included

Voltage range	12/24V Multivolt
Flash patterns #	3-LED: 16x / 4-LED: 23x selectable
LED type	3-Watt
Lens material	Clear polycarbonate
Base material	Aluminium / rubber gasket
Mounting	Screw mount
Warranty	Three years
Approval	ECE R10, R65
Ingress protection	IP67
Current draw	0.1A Nominal



R10

3-LED



LED3DVA R10 Amber
LED3DVB R10 Blue
LED3DVR R10 Red
LED3DVW R10 White

4-LED




LED4DVA R10 Amber
LED4DVB R10 Blue
LED4DVR R10 Red
LED4DVW R10 White

8-LED




LED8DVA R10 Amber
LED8DVB R10 Blue
LED8DVR R10 Red
LED8DVW R10 White


Q-LED SERIES
DIRECTIONAL WARNING LAMPS



95 x 34 x 25mm



139 x 37 x 28mm



132 x 50 x 25mm

- Synchronise up to 10 units
- Five Year Warranty

Voltage range	12/24V Multivolt
Flash patterns #	3-LED: 12x selectable 4-LED: 25x selectable 8-LED: 26x selectable
LED type	3-Watt
Lens material	Clear polycarbonate
Base material	Aluminium
Mounting	Screw mount
Warranty	Five years
Approval	ECE R10
Ingress protection	IP67
Current draw	0.35A

LED180 SERIES
180° WIDE ANGLE WARNING LAMPS


R10

NEW R10

3-LED



- LED3DVA180 R10 Amber
- LED3DVB180 R10 Blue
- LED3DVR180 R10 Red
- LED3DVW180 R10 White




116 x 42 x 27mm

4-LED

NEW



- LED4DVA180 R10 Amber
- LED4DVB180 R10 Blue
- LED4DVR180 R10 Red
- LED4DVW180 R10 White






136 x 42 x 27mm

- 180° wide angle lighthouse
- Five year warranty
- High-brightness LEDs
- Rubber mounting grommet included



Voltage range	12/24V Multivolt
Flash patterns #	3-LED: 12x / 4-LED: 25x selectable
LED type	1-Watt
Lens material	Clear polycarbonate
Base material	Aluminium
Mounting	Screw mount
Warranty	Five years
Approval	ECE R10
Ingress protection	IP67
Current draw	0.05A



Ø50 x 26mm

- Discreet warning lamp design
- Suitable for surface mounting or concealed mounting (1" cut out required)
- Alloy heat sink
- Tough, reliable and 100% waterproof
- Rubber mounting grommet included
- High-brightness LEDs
- Comprehensive choice of colours

HALED SERIES
HIDEAWAY LED WARNING LAMP



Concealed use


- HALED6DVA R10 Amber
- HALED6DVB R10 Blue
- HALED6DVR R10 Red
- HALED6DVW R10 White
- HALED6DVG R10 Green

Voltage range	12/24V Multivolt
Flash patterns #	12 Selectable
LED type	6x 3-Watt
Lens material	Clear polycarbonate
Base material	Alloy
Mounting	Screw mount
Warranty	Five years
Approval	ECE R10
Ingress protection	IP67
Current draw	0.27A

4-LED



- LED4DDVA R10 Amber
- LED4DDVB R10 Blue
- LED4DDVR R10 Red
- LED4DDVW R10 White




165 x 133 x 50mm

8-LED



- LED8DDVA R10 Amber
- LED8DDVB R10 Blue
- LED8DDVR R10 Red
- LED8DDVW R10 White
- LED8DDVAB R10 Amber/Blue
- LED8DDVRB R10 Red/Blue



246 x 165 x 50mm

- Dashboard mounted warning lamps
- Lamp can be secured in place using permanent screw fix or suction pads
- Easy to use controls and function display on rear
- Includes cigar plug
- Available in a comprehensive range of colours
- Hi/low power function
- Multiple selectable flash patterns

Voltage range	10–30VDC
Flash patterns #	4-LED: 21x / 8-LED: 28x selectable
LED type	3-Watt
Lens material	Polycarbonate
Housing material	Polycarbonate
Mounting	Suction pads
Warranty	Five years
Approval	ECE R10
Ingress protection	IP67
Current draw	4-LED: 0.6A / 8-LED: 1.2A

Single-Bolt Mount



- MLB246R65ABM R65 Amber
- MLB246R10ABM R10 Amber



Magnetic Vacuum Mount



- MLB246R65ABM-VM R65 Amber
- MLB246R10ABM-VM R10 Amber

- 30x high-power LEDs
- ECE R10 and R165 approved versions
- Compact, lightweight design
- 18x selectable flash patterns, including; Single, Double, Quad and Rotating Flash
- Available with Single-Bolt or Magnetic mounting bases
- Magnetic Vacuum Mount comes with cigar plug and 3m of cable

Voltage range	12/24V Multivolt
Flash patterns #	18x selectable
LED type	R65: 30x 2-Watt / R10: 30x 1.5-Watt
Lens material	Polycarbonate
Housing material	Polycarbonate
Visibility	360°
Warranty	One year
Approval	ECE R10, R65
Ingress protection	IP65
Current draw	12V: 1.17A / 24V: 0.56A



246 x 172 x 64mm

Single-Bolt Mount




- EQR65-355A R65 Amber
- EQR65-355B R65 Blue
- EQR10-355A R10 Amber

Magnetic Vacuum Mount



- EQR65-355AVM R65 Amber
- EQR65-355BVM R65 Blue
- EQR10-355AVM R10 Amber




- 24x high-power LEDs
- ECE R10 and R65 approved versions
- Available with Single-Bolt or Magnetic mounting bases
- Magnetic Vacuum Mount comes with cigar plug

Voltage range	12/24V Multivolt
Flash patterns #	23x selectable
LED type	24x high intensity
Lens material	Polycarbonate
Base material	Polycarbonate
Visibility	360°
Warranty	Five years
Approval	ECE R10, R65
Ingress protection	IP67
Current draw	12V: 2.88A / 24V: 1.44A



- EQ-MLB60012/24 R10 Amber
- LED3DVAM Replacement 3-LED lamp module – R10 Amber
- LED4DVAM Replacement 4-LED lamp module – R10 Amber



- 38x high-brightness LEDs
- Low profile housing
- 4-bolt mounting brackets included
- Day/night functions
- Highly durable aluminium housing

Voltage range	12/24V Multivolt
Flash patterns #	24x selectable
LED type	38x 1-Watt
Lens material	Polycarbonate
Housing material	Aluminium / Polycarbonate
Visibility	360°
Warranty	Five years
Approval	ECE R10
Ingress protection	IP67
Current draw	12V: 6A / 24V: 3A



EQLB302AC 2.5ft / 762mm – 2 Modules, Clear Lens



EQLB302WA 2.5ft / 762mm – 2 Modules, Amber Lens



EQLB362AC 3ft / 915mm – 2 Modules, Clear Lens



EQLB362WA 3ft / 915mm – 2 Modules, Amber Lens



EQLB362WA/O 3ft / 915mm – 2 Modules, Amber Lens / Opaque Centre



EQLB482AC 4ft / 1220mm – 2 Modules, Clear Lens



EQLB482WA 4ft / 1220mm – 2 Modules, Amber Lens



EQLB482WA/O 4ft / 1220mm – 2 Modules, Amber Lens / Opaque Centre



EQLB602AC 5ft / 1524mm – 2 Modules, Clear Lens



EQLB602WA 5ft / 1524mm – 2 Modules, Amber Lens



EQLB602WA/O 5ft / 1524mm – 2 Modules, Amber Lens / Opaque Centre



EQLB604AC 5ft / 1524mm – 4 Modules, Clear Lens



EQLB604WA 5ft / 1524mm – 4 Modules, Amber Lens



EQLB604WA/O 5ft / 1524mm – 4 Modules, Amber Lens / Opaque Centre



EQLB724AC 6ft / 1828mm – 4 Modules, Clear Lens



EQLB724WA 6ft / 1828mm – 4 Modules, Amber Lens



EQLB724WA/O 6ft / 1828mm – 4 Modules, Amber Lens / Opaque Centre

Optional Accessories
Not available for 2.5ft Lightbars



Illuminated centre



Alley lights



Hazard or double hazard



Stop, tail, Indicator




Bespoke lettering

Tough polycarbonate lens available in amber and clear



9x 3W LEDs per module
Choice of four R65 approved
selectable flash patterns



Extruded aluminium base



Four-bolt rubber mounting feet adjustable width to suit application



Fully customisable with a choice of compatible LED accessories



- Four selectable R65 approved flash patterns; single, double, triple and quad flash
- EMC approved (R10)
- Amber or clear polycarbonate lenses
- 360° high performance optics
- Extreme temperature reliability; -30°C ~ +50°C
- Four-bolt mounting fixture with stable rubber feet with adjustable width to suit application
- Comes with 2.5m multicore cable

Voltage range	12/24V Multivolt
Flash patterns #	4x selectable
LED type	9x 3-Watt (per head)
Lens material	Polycarbonate
Housing material	Aluminium
Visibility	360°
Warranty	Three years
Approval	ECE R65, R10
Current draw	10.5A

2-Button




E5060

3-Button



E5010



215.5 x 88 x 64mm

- Eaton contact block wiring system makes wiring the unit quick and simple
- The Atlas Evolution is available in two and three button models
- The integrated magnet provides a strong and secure storage method
- Fully waterproof and highly vibration resistant

Fixture Type	Integrated magnet
Material	ABS plastic, rubber
Wiring System	Eaton block
Ingress Protection	IP67
Vibration Resistance	IK09

2-Button




E4000

3-Button



E4001




171.5 x 77 x 64mm

- New updated design
- Universal tail lift control
- Includes 7-pin plug
- The integrated magnet provides a strong and secure means of storing the unit
- Fully waterproof and highly vibration resistant
- Extreme temperature reliability (-40°C ~ +90°C)

Fixture Type	Integrated magnet
Material	ABS plastic, rubber
Wiring System	7-pin plug
Ingress Protection	IP67
Vibration Resistance	IK09

COMPLETE VEHICLE LIGHTING SOLUTIONS

Rear Lamps & Markers



Work Lamps



Free Retail Support Material Available


We offer a range of marketing material free to supporting distributors, allowing for increased product awareness for your customers

This includes:

- freestanding retail display stands
- working display units
- counter top merchandiser boxes
- full range of catalogues, brochures and flyers
- counter top leaflet dispensers
- exterior and interior signage
- posters and stickers
- counter mats and notepads
- give-aways; pens, hats, air fresheners, bags...



Interior Lamps & Scene Lights



Warning Lighting



Technical Support

Product support is on hand from our UK head office (Mon-Fri, 8:30-17:00), providing technical assistance and advice for any queries relating to the use of our products

Dealer Training

We see the importance of offering free product training to our distributors; creating a well informed sales network to take best advantage of our full lighting range



Contact us to request our other catalogues or visit our website for full product information

www.ledautolamps-uk.com

Contact us for more information:

Tel: +44 (0)121 313 2222

Email: enquiries@ledautolamps-uk.com

Walsall Branch

Head Office

Centaur Works
Green Lane
Walsall
West Midlands
WS2 8HG
United Kingdom

tel: +44 (0) 1922 471000

fax: +44 (0) 1922 648021

e-mail: sales@albert-jagger.co.uk

Heywood Branch

Unit b12c
Broadlands Distribution Park
Pilsworth Road
Heywood
Lancashire
OL10 2TS
United Kingdom

tel: +44 (0) 1706 692110

fax: +44 (0) 1706 625936

e-mail: heywood@albert-jagger.co.uk